

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	47763	"340"/\$.ccls. and (apart or inch\$2 or meter\$2 or distance or centimeter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:03
L2	51	"340"/433.ccls. and (apart or inch\$2 or meter\$2 or distance or centimeter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:03
L4	18	"340"/\$.ccls. and ((L-shape or (L near2 shape)) near3 bracket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:05
L5	237	"340"/\$.ccls. and ((bracket) near15 (gear or motor)) and (motor near15 gear near15 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:05
L6	40	("2144813"   "2384689"   "3153398"   "4138668"   "4339744").PN. OR ("4559518").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/09 12:06
L7	13	("4138668").PN. OR ("4339744").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/09 12:06
L8	0	("2005/0200461").URPN.	USPAT	OR	ON	2005/11/09 12:06
L9	18	("4138668"   "4339744"   "4559518"   "4766413"   "4816804"   "4916372"   "4983949"   "5036307"   "5038136").PN. OR ("5406250").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/09 12:07
L10	13	("1535437"   "1932441"   "2849701"   "2870559"   "3153292"   "3896414").PN. OR ("5128670").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/09 12:07
S1	121	340/433.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:56
S2	13	S1 and ((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/12 12:06
S3	0	S2 and (gear near3 box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/11 16:44
S4	2	S2 and inch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/11 16:45
S5	26	("20010022049"   "4275379"   "4983949"   "5260685"   "5293151"   "5357239"   "5382953"   "5510764"   "5538118"   "5560462"   "5564359"   "5582279"   "5602526"   "5634287"   "5675315"   "5687500"   "5719553"   "5767769"   "5796331"   "5812052"   "5867092"   "5906071"   "5979114"   "5982131"   "6457545").PN. OR ("6765481").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 16:46

S6	2	S5 and inch\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 16:48
S7	7	((("D327051") or ("5797968") or ("5256921") or ("5172605")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/12 11:40
S8	0	("29189971.ap.").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/12 12:00
S9	0	"29189971".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/12 12:01
S10	28	((("2209407") or ("4766413") or ("4916372") or ("4956630") or ("5036307") or ("5132662") or ("5357239") or ("5406250") or ("6011336") or ("6054785") or ("D451072") or ("6465915"))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/12 12:06
S11	35	S10 or S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/12 12:06
S12	1	S11 and ((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/12 12:06
S13	26	("20010022049"   "4275379"   "4983949"   "5260685"   "5293151"   "5357239"   "5382953"   "5510764"   "5538118"   "5560462"   "5564359"   "5582279"   "5602526"   "5634287"   "5675315"   "5687500"   "5719553"   "5767769"   "5796331"   "5812052"   "5867092"   "5906071"   "5979114"   "5982131"   "6457545").PN. OR ("6765481").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/12 13:57
S14	1	((((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 (bracket or arm)) and (gear adj box) and (output near2 shaft) and unitary and (electron\$4 near3 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:09
S15	411	((((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 (bracket or arm)) and (gear adj box) and (output near5 shaft) and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:13
S16	5	S15 and "340"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:12
S17	9	((((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 (bracket or arm)) near15 (gear adj box)) and (output near5 shaft) and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:03
S18	0	((((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 (bracket or arm)) near20 (gear adj box)) and 340/433.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:19

S19	2	((((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 (bracket or arm)) near20 (gear adj box)) and "340"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:32
S20	30	("3153398"   "3942601"   "3997866"   "4300116"   "4537271"   "4543577"   "4559518"   "4697541"   "4779095"   "4779240"   "4849731"   "4956630"   "4983949").PN. OR ("5132662"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 10:44
S21	1681	((bracket or arm) near15 (gear adj box)) and (motor near15 gear near15 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:35
S22	2	S21 and 340/433.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:36
S23	29	S21 and "340"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:35
S24	16210	((bracket) near15 (gear or motor)) and (motor near15 gear near15 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:05
S25	14	S24 and 340/433.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:36
S26	3683	((340/433,130,425.5,468) or (180/275) or (293/117,24) or (40/572,582)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/15 10:45
S27	19	((bracket) near15 (gear or motor)) and (motor near20 gear near20 shaft)) and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:47
S28	106470	S26 adn ((bracket) near15 (gear or motor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:48
S29	67	S26 and ((bracket) near15 (gear or motor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 10:48
S30	1	340/433.ccls. and L-shape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 11:39
S31	1	340/433.ccls. and (L-shape or (L adj shape))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 11:39

S32	2	("5357239").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/15 12:13
S33	30	("3153398"   "3942601"   "3997866"   "4300116"   "4537271"   "4543577"   "4559518"   "4697541"   "4779095"   "4779240"   "4849731"   "4956630"   "4983949").PN. OR ("5132662"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 12:25
S34	2	("6465915").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/15 13:00
S35	25	("3243917"   "3486271"   "3716110"   "3747265"   "3772825"   "3810515"   "3964206"   "4471705"   "4565538"   "4754830"   "4810014"   "4878877"   "5004077"   "5172605"   "5256921"   "5404060"   "5446326"   "5734210"   "5737968"   "5747903"   "5791514"   "5839320"   "6028384").PN. OR ("6465915"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 13:01
S36	4	(S34 or S35) and bracket	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 13:23
S37	1	"5132662".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 13:24
S38	30	("3153398"   "3942601"   "3997866"   "4300116"   "4537271"   "4543577"   "4559518"   "4697541"   "4779095"   "4779240"   "4849731"   "4956630"   "4983949").PN. OR ("5132662"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 13:30
S39	76	(specialty near3 manufacturing).as.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 13:31
S40	1	(((((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 bracket) near15 (gear adj box)) and (rotat\$4 near3 (pivot near2 pin)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/16 08:49
S41	56	(((((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 bracket) near20 (gear or motor)) and (rotat\$4 near3 pivot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/16 08:52
S42	56	(((((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 bracket) near20 (gear\$4 or motor)) and (rotat\$4 near3 pivot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/16 09:01
S43	224	((bracket near20 (gear\$4 or motor)) same (mold\$4 or unitary)) and (rotat\$4 near3 pivot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/16 09:04
S44	1591	((bracket near20 (gear\$4 or motor)) same (mold\$4 or unit\$4)) and (rotat\$4 near3 pivot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/16 09:07
S45	27335	(((((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 bracket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/16 09:01

S46	88	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/16 09:01
S47	13	S43 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/16 09:04
S48	16	"340"/\$.ccls. and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/16 09:07
S49	96	((("5579924") or ("5433471") or ("6079163") or ("6213498") or ("6213498") or ("5732355") or ("4274293") or ("4438899") or ("4793099") or ("4989898") or ("5595074") or ("5669269") or ("5884812") or ("6158525") or ("4255986") or ("4265329") or ("4275500") or ("4303926") or ("4487287") or ("4514105") or ("4521049") or ("4626161") or ("4756379") or ("4841660") or ("4901071") or ("4932521") or ("4946195") or ("5325263") or ("5352167") or ("5458462") or ("5553649") or ("5829727") or ("5860322") or ("6135534") or ("6141106") or ("6241048") or ("6231012") or ("4565152") or ("5900705") or ("6152847") or ("6164677") or ("6206799") or ("6213910") or ("6213910") or ("4272044") or ("4575028") or ("4881254") or ("4938403") or ("6129401") or ("6147306"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/17 13:09
S50	72	S49 and bracket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 13:12
S51	0	S49 and ((L-shape or (L near2 shape)) near3 bracket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:04
S52	0	S49 and ((L-shape or (L near2 shape)) near8 bracket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/17 13:13
S53	6130	(rotat\$4 near3 (pivot adj pin)) and bracket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:00
S54	373	(rotat\$4 near3 (pivot adj pin)) and (((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 bracket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:18
S55	215	S54 and (motor or gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:23
S56	19	S55 and unitary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:17

S58	42	(rotat\$4 near3 (pivot adj pin)) and (((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 bracket) same (gear or chassis))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:22
S59	46	(rotat\$4 near3 (pivot adj pin)) and (((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 bracket) same (gear or shift))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:50
S60	41	S59 and (motor or gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:23
S61	27	S59 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:36
S62	11	(rotat\$4 near3 (pivot adj pin)) and (bracket near5 (mold\$4 or unitary or construct\$4 or integrat\$4) near5 (gear or shift))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:33
S63	15	(rotat\$4 near3 (pivot adj pin)) and (bracket near5 (mold\$4 or unitary or construct\$4 or integrat\$4 or couple) near5 (gear or shift))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:33
S64	18	(rotat\$4 near3 (pivot adj pin)) and (bracket near8 (mold\$4 or unitary or construct\$4 or integrat\$4 or couple) near8 (gear or shift))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:35
S65	28	(rotat\$4 near3 (pivot adj pin)) and (bracket near10 (mold\$4 or unit\$4 or construct\$4 or integrat\$4 or couple or manufactur\$4) near10 (gear or shift))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:36
S66	39	(rotat\$4 near3 (pivot adj pin)) and (bracket near10 (mold\$4 or unit\$4 or construct\$4 or integrat\$4 or coupl\$4 or manufactur\$4) near10 (gear or shift))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:38
S67	25	S66 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:37
S68	104	(rotat\$4 near3 (pivot adj pin)) and (bracket near15 (mold\$4 or unit\$4 or construct\$4 or integrat\$4 or coupl\$4 or manufactur\$4 or secur\$4) near15 (gear or shift)) and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:01
S69	7	S68 and (((L adj shap\$4) or (L near2 shap\$4) or L-shap\$4) near3 bracket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 14:51
S70	11085	bracket near15 (mold\$4 or unit\$4 or construct\$4 or integrat\$4 or coupl\$4 or manufactur\$4 or secur\$4) near15 gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:28

S71	3265	bracket near15 (mold\$4 or unit\$4 or integrat\$4 or coupl\$4) near15 gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:29
S72	2323	S71 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:29
S73	1420	motor and (bracket near15 (mold\$4 or unit\$4) near15 gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:31
S74	1003	motor and (bracket near10 (mold\$4 or unit\$4) near10 gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:34
S75	239	S74 and (seal\$4 or (waterproof or (water near3 proof)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:36
S76	1044	motor same (bracket near15 (mold\$4 or unit\$4) near15 gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:36
S77	254	S76 and (seal\$4 or (waterproof or (water near3 proof)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:35
S78	14	(motor same (bracket near15 (mold\$4 or unitary) near15 gear)) and (seal\$4 or (waterproof or (water near3 proof)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:39
S79	1030	(motor same (bracket near15 (mold\$4 or unitary or construct\$4 or integra\$4 or coupl\$4 or manufactur\$4 or secur\$4) near15 gear)) and (seal\$4 or (waterproof or (water near3 proof)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:41
S80	300	(motor same (bracket near15 (mold\$4 or unitary or integra\$4 or coupl\$4) near15 gear)) and (seal\$4 or (waterproof or ((water or weather) near3 proof)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 16:49
S81	141	(motor same (bracket near15 (mold\$4 or unitary or integra\$4) near15 gear)) and (seal\$4 or (waterproof or ((water or weather) near3 proof)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 10:19
S82	141	(motor same (bracket near15 (mold\$4 or unitary or integra\$4) near15 gear)) and (seal\$4 or (waterproof or water-proof or ((water or weather) near3 proof)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 17:08

S83	68	("0548695"   "1356123"   "1487926"   "1903358"   "1937662"   "1939159"   "2293968"   "2336530"   "2365454"   "2531116"   "3263367"   "3659466"   "3706163"   "3706236"   "3736702"   "3932956"   "4167834"   "4168595"   "4170847"   "4229906"   "4235117"   "4389818"   "4400913"   "4420906"   "4449326"   "4553656"   "4592245"   "4603894"   "4694610"   "4785585"   "4850636"   "4905413"   "4910917"   "4967510"   "4986030"   "5005316"   "5022184"   "5058322"   "5174066"   "5226259"   "5243785"   "5251403"   "5307704"   "5308129"   "5308138"   "5351443"   "5355629"   "5367832"   "5410921"   "5425206"   "5439416"   "5577347"   "5794478"   "5806244"   "6044589"   "6205711").PN. OR ("6389753").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 17:06
S84	66	49/349,358,375.ccls. and motor and (bracket near15 gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 17:14
S85	101	49/349,358,375.ccls. and motor and ((bracket or rack\$4 near15 gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 17:14
S86	91	49/349,358,375.ccls. and (motor same ((bracket or rack\$4 near15 gear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/24 17:15
S87	141	(motor same (bracket near15 (mold\$4 or unitary or integra\$4 or encapsulat\$4) near15 gear)) and (seal\$4 or (waterproof or ((water or weather) near3 proof)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 10:33
S88	39	(bracket near15 (mold\$4 or unitary or encapsulat\$4) near15 gear)) and (seal\$4 or (waterproof or ((water or weather) near3 proof))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 10:35
S89	39	(bracket near15 (mold\$4 or unitary or encapsulat\$4) near15 gear)) and (seal\$4 or (waterproof or ((water or weather) near3 proof) or watertight or weathertight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 10:44
S90	183	bracket near15 (mold\$4 or unitary or encapsulat\$4) near15 gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 10:55
S91	183	bracket near15 (mold\$4 or unitary or encapsulat\$4 or injection-mold\$4 or (injection adj mold\$4)) near15 gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 13:58
S92	1	"6465915".pn. and mold\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 13:58
S93	0	"6465915".pn. and (mold\$4 near15 bracket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:01



S94	0	"6465915".pn. and (mold\$4 near15 corner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:47
S95	10821	(bracket or frame or support) same (center near10 inch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:50
S96	5606	(bracket or frame) same (center near10 inch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:49
S97	1405	S95 and motor and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:51
S98	266	(bracket or frame or support) same (slot\$2 near10 center near10 inch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:52
S99	32	S98 and motor and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:58
S10 0	145	((bracket or frame or support) same ((slot\$2 or hole) near10 center near10 inch\$2)) and motor and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:55
S10 1	22	((bracket or frame or support) near15 ((slot\$2 or hole) near10 center near10 inch\$2)) and motor and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:55
S10 2	0	340/433.ccls. and ((slot\$2 or hole) near10 inch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 15:00
S10 3	372	"340"/\$.ccls. and ((slot\$2 or hole) near10 inch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:58
S10 4	27	S103 and motor and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 14:58
S10 5	10	340/433.ccls. and inch\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 15:01
S10 6	45	340/433.ccls. and (inch\$2 or meter\$2 or distance or centimeter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/25 15:02

S10 7	50	340/433.ccls. and (apart or inch\$2 or meter\$2 or distance or centimeter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:03
----------	----	--	---	----	----	------------------